

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**


This Page Blank (uspto)



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : G06F 19/00, G08B 5/22, G08G 1/01		A1	(11) International Publication Number: WO 00/70530
			(43) International Publication Date: 23 November 2000 (23.11.00)
(21) International Application Number: PCT/US00/13800 (22) International Filing Date: 19 May 2000 (19.05.00) (30) Priority Data: 09/315,071 19 May 1999 (19.05.99) US (71) Applicant: I.D. SYSTEMS, INC. [US/US]; 1 University Plaza, Suite 600, Hackensack, NJ 07601 (US). (72) Inventors: JAGID, Jeffrey, M.; 169 East 19th Street, Apt. 21L, New York, NY 10003 (US). EHRMAN, Kenneth, S.; 245 East 19th Street, Apt. 21L, New York, NY 10003 (US). EHRMAN, Michael, L.; 205 Third Avenue, Apt. 6J, New York, NY 10003 (US). LOOSMORE, N., Bert; 241 East 10th Street, Apt. 3W, New York, NY 10003 (US). (74) Agent: RZUCIDLO, Eugene, C.; Graham & James LLP, 885 Third Avenue, 21st floor, New York, NY 10022 (US).		(81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>	

(54) Title: FULLY AUTOMATED VEHICLE RENTAL SYSTEM



(57) Abstract

An automated vehicle rental system with individual vehicle transmitting sensors for keeping track of vehicle mileage, fill state of vehicle fuel tank, and localized position status in a storage, rental or maintenance lot, with tie-in to unique vehicles identification such as a VIN, and with contemporaneous link to authorized user. Sensors are linked to the vehicle odometer reading and to the vehicle fuel tank float sensor with compensation for types of driving and fuel fill-ups which affect float level readings. The sensors are integrated with or are linked with communicating tags operable in a defined site for ultimate communication of stored vehicle related sensor data, vehicle location and type to a central data base for automatically completely effecting check out, charges and state of vehicle readiness for renewed rental. Initial vehicle and lessee data stored by the communicating tags provides additional security for removal from and return of vehicles to the rental premises.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZV	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

FULLY AUTOMATED VEHICLE RENTAL SYSTEM

FIELD OF THE INVENTION

This invention relates to vehicle handling and automobile rental systems and the like and particularly to systems used for effecting initial vehicle rental transactions and return of vehicles, with calculations for mileage and fuel charges.

BACKGROUND OF THE INVENTION

In the current state of the art, vehicle, and in particular automobile or car rentals require an initial check-in or rental procedure wherein the lessee provides personal and financial payment information (usually a credit card number and charge authorization) to the rental agency at a check-in counter. The information is then linked by computerized record to an available vehicle using identification such as the vehicle license plate number, Vehicle Identification Number (VIN) and the like. Before each new rental the vehicle is inspected for current odometer reading and fuel level (with such information being entered in the computer data base or its having been previously entered with a prior return). This information is entered on a rental agreement and given to the customer and payment is effected, which, for individuals, is almost always with the tendering of a credit card.

The identified vehicle is located in the lot by the customer and then removed from the rental agency lot with a gate security check at a check-out gate, as assurance that the driver is in fact the authorized lessee or is otherwise authorized to remove the vehicle from the lot. Usually this is effected by comparison of driver identification with a rental agreement or just with the rental agreement information.

Thereafter the vehicle is driven and eventually returned to a rental agency lot (the origination lot or another lot of the same rental agency in a different location when such type of return is

authorized) and the lessee advises the agency of such return.

Prior to completion of the check-out, an employee of the rental agency is dispatched to physically inspect the vehicle and to check the mileage (many rental agreements are dependent on mileage) and fuel level (the usual agreement specifies that returns are to have a full tank, and if not, an additional fuel charge is applied) In some instances the results are entered into a hand held computerized recordation device for entry into the agency computer data base for calculation of the final rental charge (either while the lessee waits or as a supplement to the original charge on the initially tendered credit card). In other instances the information is collected from the vehicle and is manually entered into a computer database for calculation of the final charges.

The present system has several shortcomings, foremost of which is the need for a physical inspection of each returning vehicle for recordation of mileage and fuel level, by a rental agency employee (at peak return periods, check-out times can be lengthy). In addition, recordation of fuel level is inexact and may vary from vehicle to vehicle since a fuel level gauge is only a rough indication of fuel level and actual level may vary by as much as a gallon or two and a customer is not charged or credited with the appropriate fuel usage charges. Other shortcomings include wasted time by both the customer and rental agent employees in either or both of the rental and return procedures. In addition, there is only a rudimentary estimate regarding readiness of vehicles and vehicle types available for rental. An additional shortcoming is the errors introduced by humans who read the fuel gauge (different viewing angles can provide different readings) and odometer (mid-point readings may be erroneously interpreted) as well as errors during manual data entry into a hand-held computer.

An example of a typical prior art system is one disclosed in US Patent Number 5,058,044 which discloses a system for returns of rental vehicles. The described system relies on a physical annunciation of the arrival of the return car somewhat akin to activating a trip wire in order to initiate operation of the system at every location. However, because of the necessity of an annunciator for operation there are numerous limitations:

In the described system, a returned car must proceed to a specific return area modified with the annunciator and local computerized system. Because of such limitations, returns take longer to be processed and the system requires a local processor to close out a transaction. In addition the system has no effective way of preventing RF interference between simultaneous returns.

Another representative patent in the field is US Patent Number 5,289,369 which discloses a central control designed primarily to provide a roving fleet of rental cars throughout a city, with location and constant monitoring by central site being key elements. This system requires key access by mag card to enter a vehicle as well as individual on-board computers in each vehicle.

SUMMARY OF THE INVENTION

It is an object of the present invention to provide a fully automated vehicle rental system (both check-in and check-out) which system includes, in every rental vehicle, a medium range (generally up to about 500 feet radius, sufficient to entirely encompass the area of a rental lot and even an arrival area outside the lot) transmitter/receiver device with memory storage means for receiving and transmitting information regarding the car rental and sensors for accurate and continuous measurement and storage of odometer reading and fuel tank levels and is able to remotely provide such information to a central billing data base. It is a

further object of the present invention to provide rental lot fixed location node sensors whereby location of a vehicle (and concomitant state of renewed rental readiness) in the lot is constantly updated at a central tracking and billing data base.

It is yet another object of the present invention to provide the sensors and transmitter/receiver device with vehicle and driver (renter) identification (and initial mileage and fuel level) to effect security on removal and return of the vehicle to the lot, to accurately calculate final rental charges and to personalize messages to the vehicle renter upon leaving and returning to the lot on a visible display.

Generally the present invention comprises a vehicle rental system wherein each vehicle comprises a unique vehicle identifier, and wherein the vehicle is provided with remote communication transmitter/receiver means, with said vehicle identifier being initially stored in memory means linked to the communication transmitter/receiver means and with memory storage of transmitted information specific to the rental (driver identification, and optionally credit card information, term of the agreement, etc.). The vehicle further comprises odometer reading sensor means linked to an odometer of the vehicle and to the communication transmitter/receiver means and memory means (RAM) for the continuous storage of odometer readings of the vehicle mileage and for the remote transmission thereof to a data collection or central billing data base when the vehicle is returned. As used herein the term "central data base" or "data base" refers to a central storage of rental profiles, rental information and prints receipts. Because the VAC stores all of the critical parameters of the rental agreement, the VAC data can be used to close out rental transactions when the system is down. The vehicle further comprises fuel sensor means linked to the vehicle's float sensor normally used for gauging fuel level in a vehicle's fuel tank. In order to check validity of float sensor reading (a float sensor is subject to vagaries of non-level road, fuel tank filling,

etc.) fuel sensor means further comprises analysis means for interpreting factors relevant to the meaning of a particular float level at a particular time and usage. Float sensor data are also transmitted to and stored in the RAM memory means for later transmission retrieval. In a preferred embodiment the fuel sensor means and the odometer reading sensor are linked with operational software to provide vehicle mileage (mpg) history and history of mileage since last fill-up. In accordance with the present invention the various tags attached to the vehicles and fixed position nodes situated throughout the lot communicate with each other in identifying vehicles and salient rental, vehicle and driver information over the transmission range, without intermediate need for a central computer except as an ultimate billing information repository.

Other connections from the transceiver/receiver device to car functions (unrelated to direct billing information) may be effected such as with oil pressure and water temperature sensors and actuators such as door locks and ignition. For an overall function control, the transmitter/receiver device of the present invention may be also be operationally connected to the computer bus system of the vehicle, whereby inquiries may be directly made to the on-board vehicle computer regarding fuel, odometer and the like readings. For connection to bus systems which differ from vehicle to vehicle and manufacturer to manufacturer, software must be provided to the devices to determine the particular "language" it is to be speaking. Ultimately the device may be provided with or linked to impact sensors to help report on damage while with a particular driver.

The above and other objects features and advantages of the present invention will become more evident from the following discussion and drawings in which:

SHORT DESCRIPTION OF THE DRAWINGS

Figure 1 is a see-through view of a typical rental automobile showing placement of odometer and float sensors and communication transmitter/receiver, in accordance with the present invention;

Figure 2 is a schematic view of a typical auto rental car lot with various location stations and showing the transmitted location of a specific car (or car type) in real time and with marked off positions of typical fixed node locations;

Figure 3 is a schematic view of a welcoming sign arrangement with information for a specific driver relating to check-in; and

Figure 4 is an interior view view of a further embodiment of the automobile of Figure 1, equipped with on-board rental and check in devices operatively associated with the communication transmitter/receiver.

DETAILED DESCRIPTION OF THE INVENTION

In accordance with the present invention, and in a preferred embodiment, the unique vehicle VIN is used to identify an automobile, its make, model and type and is preferably used as a key identifier thereof. The VIN is programmed into the memory chip associated with an RF transmitter/receiver device placed within the vehicle (since radio frequency is used for transmission the device can be operably hidden anywhere in the car out of sight and reach of the driver) Useful transmitter and receiver devices with related memory storage are embodied in the tag and node system described in US Patent No. 5,682,142, by the inventors herein, the disclosure therein is incorporated herein by reference thereto. The transmitter/receiver devices are smart devices with inquiry functions and communication with each other and

with fixed position nodes whereby they do not interfere with each other in simultaneous transmission of data such as with return of several vehicles at one time. The devices are readily removed and placed into other vehicles with reprogramming of new vehicle type (in preferred embodiments, the devices have overall vehicle information in RAM or NYRAM (non-volatile battery backed RAM) and a simple vehicle identification recalls it for immediate use) The system described therein operates with a network of stationary nodes and non-stationary communication tags attached to items, to provide a decision making communication network without a central processing computer (any computer used functions to tap into the communications) for functions such as constant location of any of the tagged items when within communication range (direct and relayed)

In addition to the transmitter/receiver with associated memory, at least two sensors are integrated into each rental vehicle, the first being a direct monitoring sensor of odometer reading which is preferably coupled with a timer and/or the vehicle speedometer to maintain continuous readings of vehicle speed. The second sensor is linked to the float used to monitor fuel levels and either (depending on the vehicle) directly stores digital output data of fuel level or effects an analog to digital conversions with the use of imbedded translation table software (unique to the particular vehicle as determined from the VIN) to provide actual units of fuel level. The fuel level sensor is programmed to recognize fill up conditions of float level change (i.e. float level rising at vehicle idle without vehicle movement) as well as up or downhill travel (with concomitant displacement of float level) as correlated with vehicle speed and calculated mileage.

With the system of the present invention, car check in and check out are automatically effected by direct communication between the "car" and the central rental agency data base. Thus, in a typical rental transaction, a prospective customer (in person, by phone or by

Internet access, etc.) specifies the type of car desired. When a reservation is confirmed, such as when a renter arrives at a facility, this is entered into the data base which makes inquiry to various stationary nodes located in the rental lot and tags (transmitter/receivers with memory) in each of the vehicles to receive appropriate vehicle information of which vehicles of the type desired are in condition for rental at the desired rental time. This information is automatically communicated from the automobiles to the data base for advising the customer regarding rental options.

During a rental transaction, details of the driver and other possible authorized users, such as licensing information and optionally including credit card information, as well as type of rental agreement, are remotely transmitted to the vehicle to link the VIN with the driver et al. and parameters to be monitored. The transmitter/receiver, with associated memory, appropriately starts the digital registers of starting odometer reading and exact fuel level and transmits information to a security gate relating to the driver-automobile linkage (the data base may initially provide such transmitted information to the security gate). Preferably as the vehicle approaches the security gate it communicates with a terminal therein of the approach and the identity of an authorized driver. A simple visual correlation between actual identification and the screen information serves to clear a driver and vehicle for exit from the lot. In addition, the system checks for an open rental for the specific vehicle thereby preventing the stealing of vehicles with false paperwork, which is the only thing currently checked, for permitting a vehicle to leave the lot.

During rental use, car functions (odometer, mileage, fuel consumption, etc.) are constantly monitored with the appropriate sensors, and stored for retrieval as described above.

When the vehicle is returned to a rental lot (even one from which it did not originate but in which the central data base therein is operationally linked to the original data base computer- i.e. with pre-arranged remote vehicle drop-off) and comes within transmission range from outside of the rental lot, the transmitter/receiver within the vehicle transmits the stored information of odometer reading, fuel level, the correlation identification of car and driver and the exact time of return. No annunciator type devices, as in the prior art are used or are even necessary. Optionally, a personalized "Welcome Back" is activated to greet the driver by name and a rental agency employee (e.g., concierge), inspects the vehicle for damage and hands over a completed final receipt (with all charges and credits), which is calculated and printed while the driver approaches the lot. There is no manual log in and the vehicle actually checks itself in. The central data base, with all available billing and identification information, processes the charges and transmits advice to the transmitter/receiver to remove (or archive, for possible future charges resulting from later detected misuse) the correlation between driver and vehicle. The receipt for the vehicle rental charges is automatically printed upon return of the vehicle (and prior to the driver exiting from the vehicle) whereupon the driver is given the receipt by a concierge to complete the entire rental transaction. The driver simply leaves the vehicle with the keys and walks or is transported away to a desired destination. Aside from the hanging of the various nodes and modules, no construction or modification is required of the existing rental facility such as special lanes and the like.

With the close of the transaction, the vehicle is then moved, during the ordinary course of processing to various stations in the lot, such as from return area to car wash to parking lot to ready-for-rental site (also shop and fueling if necessary), etc. with the central data base being constantly advised of real time location and thus readiness of the vehicle for re-rental (i.e.

automated inventory control) The VIN of a vehicle is correlated to vehicle type, whereby vehicles can be located, using the VIN parameters, in the lot, both en masse and individually, with a variety of parameters. If desired a graphic display of the lot and real-time location and status is available at the rental data base with, for example, color coding (and detailed information) of vehicles such as mid-size, compacts, sedan, four door, manufacturer model, etc.) Knowledge of vehicle status enables the rental agency to prioritize handling to increase rental yield and to optimize lot efficiencies, e.g., evaluating how long a car stays in the car wash area before being put into the ready line, etc.

With the above system there is also provision for anomalies and the keeping track thereof of vehicles leaving the lot but involving non-rental transaction, such as permitted (or even non-permitted) employee use of vehicles (this is readily detected as being a situation when a driver is not linked to a VIN and the vehicle is removed from the lot). Alternatively, this can provide a security warning of unauthorized vehicle use and possible theft or simply an early warning that a vehicle in a ready area is not in tact ready, i.e., without a full gas tank. In a preferred totally automated embodiment, in addition to the elimination of a check out counter, the function of a check-in counter is also eliminated by providing each vehicle with a keyboard (and associated screen) linked to the transmitter! receiver and a credit card reader. The customer enters a selected vehicle, punches in the prompted rental (e.g., rental duration, fuel option, insurance coverage option, return option, etc.) and identification information and, when instructed, swipes a credit card through the reader to activate the system, with transmission of all the information to the central billing and maintenance data base which transmits details to the check-out gate, where a rental agreement is printed out, when the vehicle arrives at the gate. In lieu of a keyboard with manual entry, where applicable and available, identification information may be scanned in such as with OCR hardware and

software or with scanning means such as bar code readers (if the identification is bar encoded).

In accordance with the present invention, in a preferred embodiment there is a backup battery scheme which stores the fuel/odometer translation tables (information used in calculating fuel level and vehicle travelling operation for specific vehicles), odometer reading (ongoing), critical car information, rate information, driver information, etc. As a result of use of translation tables (wherein data is stored for a variety of vehicle operation parameters), the device can be moved from car to car, eliminating the need for unique versions. All that is needed is a reprogramming of the device to reconfigure itself with stored parameters to the specific vehicle to which it is being transferred or attached.

In order to reduce costs (and make it effective for widespread deployment), the present invention utilizes a low cost, intelligent tag to calculate fuel level accurately, over time, without need for central processing data bases. This allows for decisions, such as open gate, to be made without a central processing data base and eliminates need for a local computer for such purposes.

The specific transmitter/receiver devices and fixed position nodes are smart enough to know when to transmit, thereby reducing the amount of transmissions in the air and the resulting infrastructure costs such as the annunciators used in the prior art. Preferably all links are made directly to the sensors, enabling installation/removal time to be no more than about 15 minutes for change between vehicles.

As a result of RF transmissions being utilized for communication, there is no necessity for direct sight line for communication (such as with transmitters as used in toll activation devices requiring windshield placement) The devices can be mounted anywhere in the

vehicle, thereby reducing installation/removal time and increasing security. The devices are of a small size (4x4x2") allowing for ease in hidden placement in the vehicle.

In preferred embodiments the devices are installed to directly tap insignificant amounts of power from the vehicle battery, thereby eliminating need for separate battery powering of the device, thereby increasing reliability, lowering bulk, reducing cost and reducing the need for changing dead batteries.

In accordance with the present invention the transmitter/receivers also communicate between vehicles if necessary to ensure communication (e.g. cars can act as repeaters to reach an interrogator) and to prevent erroneous communication overlap from different vehicles entering a lot at the same time.

DETAILED DESCRIPTION OF THE DRAWINGS AND THE PREFERRED EMBODIMENT

With reference to the drawings, in Figure 1, rental vehicle 1 contains monitoring sensors 30 and 31 operatively linked to the vehicle odometer 32 and fuel tank float 33 and which sensors are respectively linked to the device 14 for use in transmission of monitored and stored information to a central data base and for resetting of digital registers to initial usage conditions of mileage and extent of fuel capacity. During rental use, the sensors, as programmed, monitor odometer readings, mileage and fuel usage (as described above) and the data is entered and stored in the memory associated with transmitter/receiver 14.

In Figure 2, a vehicle rental lot is shown with real time location of vehicles 1a-f therein which are individually tracked and monitored by a device 14 contained in each of the vehicles. A customer views the screen 50 (depicting the lot) or is assisted in selecting a desired vehicle 10 which is ready for rental and its location within the lot 100.

In Figure 4: rental vehicle 10 is shown situated in vehicle rental lot 100 in rental ready area A. The vehicle 10 includes a data entry keyboard 11 and screen 11a for direct entry by a customer of identification and rental information options, whereby the customer simply locates the vehicle and effects check-in directly within the vehicle. After data entry (the information typically required in tilling out a rental agreement-optionally all such data may be contained in a preprogrammed card for simple swipe entry in a reader such as for frequent users), the customer swipes a credit card through reader 12 for activation of the rental process including activation of the vehicle starting key 13 (left in the vehicle but which cannot start the vehicle unless an interlock is activated) Device 14 transmits the customer-entered information, including credit card information, to a central billing and control data base. The device 14, further transmits pre-entered vehicle identification information (such as VIN 20 contained on a dashboard 21 for visual identification), for direct correlation with the customer entered information for use as a security key and for subsequent billing and vehicle inventory control. It is device 14 which further functions as a vehicle locator and tracker within lot 100 by means of communication with fixed position nodes 14a dispersed within the lot. The central data base and/or device 14 transmits a valid activation with vehicle and customer information to a check-out gate where identification is checked on a terminal to ensure that an authorized user is removing the vehicle from the vehicle lot. Device 14 transmits an approach message which triggers a printer at a check-out gate to print out a rental agreement for the driver with the previously entered information and selected options. It is possible to utilize separate devices 14 for the separate purposes of driver and vehicle identification and function monitoring, with the former device being removable for transfer to another vehicle once valid identification has been established, such as at a check-out gate.

When the vehicle is returned to lot 100 (or other computer linked lot) a personalized welcome back sign 200 (Figure 3) is activated. device 14 transmits the memory stored information relating to fuel fill status (as well as mileage and other usage information) to the billing data base, which calculates the final bill, charges the previously activated credit card charge, and prints out a receipt for the payment with itemized charges at the check in gate. The customer takes the receipt (or is handed the receipt by a concierge) and simply leaves the vehicle in drop-off section 2 of lot 100. Device 14 immediately transmits this location information to the central data base for inventory control and processing for re-rental with device 14 maintaining location communication with the central data base during car washing (area C) and ready area D, etc. Device 14 is powered by the vehicle battery and maintains sufficient power for such constant location communication.

It is understood that the above Example and discussion are exemplary of the present invention and that changes in operative procedure and components and the like are possible without departing from the scope of the present invention as defined in the following claims.

What is claimed is:

1. An automated vehicle rental, return and billing system wherein each vehicle, to be rented and removed from a vehicle renting lot, has a unique vehicle identifier, and wherein each vehicle is provided with transmitter/receiver means and memory storage means linked thereto, with said vehicle identifier being initially stored in said memory storage means; wherein said vehicle further comprises odometer reading sensor means operatively linked to an odometer of the vehicle for the continuous sensing of odometer readings and wherein the odometer reading sensing means transmits said odometer readings to the memory storage means for the continuous storage of odometer readings of the vehicle mileage; wherein said vehicle further comprises fuel sensor means linked to a fuel level sensor of the vehicle and wherein the fuel sensor means further comprises analysis means for interpreting factors relevant to the meaning of a particular fuel level sensor readings for the vehicle under varying vehicle operating conditions, for accurately continuously monitoring fuel levels within the vehicle and wherein said fuel levels are transmitted to and stored in said memory storage means; said system further comprising a data collection data base and means for enabling the transmitter/receiver means to communicate with the data collection data base, when the vehicle is returned to a vehicle rental lot, to transmit stored final odometer reading and fuel level to the data collection data base for remote calculation of charges and check-in of the vehicle when the vehicle is returned to the vehicle rental lot.

2. The system of claim 1, wherein the vehicle further contains data entry means for the renter to enter personal identification and desired rental options and credit card charging means and wherein the transmitter/receiver means stores the personal identification in said memory storage means and transmits said personal identification, desired rental options and credit card information to the data collection data base while the vehicle is in the

vehicle rental lot and wherein the data collection data base transmits to the transmitter/receiver means validation instructions to enable activation of the vehicle with activation means.

3. The system of claim 2, wherein the system further comprises a check out site in operative communication with the transmitter/receiver means with means at said site for printing out a rental agreement having said personal identification, vehicle identification, rental options and credit card information, and wherein the check-out site comprises a terminal with correlative personal and vehicle identification transmitted thereto by one of said data collection data base and transmitter/receiver means for use as a security check prior to permitting the vehicle to exit the vehicle rental lot.

4. The system of claim 1 wherein the analysis means for interpreting factors relevant to the meaning of a particular fuel level sensor readings for the vehicle under varying vehicle operating conditions, comprises correlation means to evaluate a vehicle fuel tank as being filled when the vehicle is not moving and the fuel in the fuel tank is simultaneously rising.

5. The system of claim 1, wherein the transmitter/receiver means provides information of location thereof within the rental lot and information related to the vehicle to which it is attached to mapping means for tracking location and readiness of the vehicle for re-renting.

6. The system of claim 5, wherein at least two vehicles are mapped on said mapping means for said tracking location and whereby vehicle system operations can be prioritized on said vehicles as a function of vehicle location and type of vehicle and wherein a real time automated inventory of available vehicles is obtainable from said mapping means.

7. The system of claim 1, wherein at least one of the odometer and fuel sensing means and transmitter/receiver means is interchangeable between different vehicles and wherein said at least one of said odometer and fuel sensing means and transmitter/receiver means is programmable to be adapted to be operable for the different vehicles.

8. The system of claim 1, wherein the system further comprises a personalized greeting display which is visible at or proximate to said lot which displays a personalized message to a driver of the vehicle with personalized information transmitted thereto by said transmitter/receiver means.

9. The system of claim 1, wherein said storage means is adapted to store maintenance information unique to said vehicle.

10. The system of claim 1, wherein the transmitter/receiver means further comprises timing means and sensing means to determine and store periods of time in which the vehicle is located in said lot to determine efficiency in vehicle processing.

11. The system of claim 1, wherein fixed node devices capable of communication with the transmitter/receiver means, with each other and the data collection data base, are disposed within the rental lot to facilitate communication of data and position of vehicles within the lot.

12. The system of claim 1, wherein identification of a renter of the vehicle is associated in the memory storage means during a pre-determined rental period.

13. The system of claim 1, wherein the vehicle further contains data entry means for the renter to enter personal identification and desired rental options and credit card charging means and wherein the transmitter/receiver means stores the personal identification in said memory storage means and transmits said personal identification, desired rental

options and credit card information to the data collection data base while the vehicle is in the vehicle rental lot and wherein one of the data collection data base and transmitter/receiver transmits validation instructions to validate permission for removal of the vehicle from the rental lot.

1/4




FIG. 1





FIG. 2



4/4




FIG. 4

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US00/13800

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : G06F 19/00; G08B 5/22; G08G 1/01

US CL : Please See Extra Sheet.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 705/13, 34; 701/33; 340/932.2, 940, 928, 348

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

STN. WEST
search terms: vehicle rental, fuel, mileage, transmitter, receiver, transceiver, ...

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X, P	US 6,006,148 A (STRONG) 21 December 1999, figure 1, col. 4-13	1-13
A	US 5,206,643 A (ECKELT) 27 April 1993, col. 2-4	1-13
A	US 4,398,172 A (CARROLL et al) 09 August 1983, col. 2-8	1-13

☐ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents.	* T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
* A* document defining the general state of the art which is not considered to be of particular relevance	* X* document of particular relevance, the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
* E* earlier document published on or after the international filing date	* Y* document of particular relevance, the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
* L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	* &* document member of the same patent family
* C* document referring to an oral disclosure, use, exhibition or other means	
* P* document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search
06 SEPTEMBER 2000

Date of mailing of the international search report
02 OCT 2000

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231
Facsimile No. (703) 305-3230

Authorized officer

JAMES P. TRAMMELL

Telephone No. (703) 305-9768

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US00/13800

A. CLASSIFICATION OF SUBJECT MATTER:
US CL :

705/13, 34; 701/33; 340/932.2, 940, 928, 348; 761/1, 29, 32, 33, 35